

PCR WS 4070XXX

FDS0232ENG-REV01 Revision date: 11/2023

## 1 Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

Trade Name: PCR Reagent R1

Article n°: 4070XXX MS: 80115310212

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

In vitro diagnostics

## 1.3 Details of the supplier of the safety data sheet

Kovalent do Brasil Ltda.

Rua Cristóvão Sardinha, 110 – Jd. Bom Retiro – São Gonçalo – RJ – Brasil.

Tel: +(55 21) 2623-1367

e-mail: kovalent@kovalent.com.br

#### 1.4 Emergency telephone number

Tel: +(55 21) 2623-1367 – Costumer service 8AM to 5PM.

0800 015 1414

#### In case of emergency

24 hours service

2

0800-722-6001 - RENACIAT (Rede Nacional de Centros de Informação e Assistência Toxicológica)

## Hazards Identification

#### 2.1 Classification of the substance or mixture

Classification according to ABNT NBR 14725.

No data available

For the full text of the H-Statements mentioned in the Section, see Section 16

Hazard designation: Not applicable

#### 2.2 Label elements

## Labelling (GHS)

Label: Not applicable

Signal word: Not applicable

Hazard statements: Not applicable

Precautionary statements: Not applicable

Information pertaining to particular dangers for

man and environment:

Not applicable

## 2.3 Other hazards

Hazardous properties cannot be excluded.

Sodium azide can form explosive azides when containing heavy metals such as copper or lead.

# 3 Composition/information on ingredients

## 3.1 Substances

Not applicable

#### 3.2 Mixtures

Chemical characterization: Mixture

Description: Mixture of the substances listed below with harmless products.

www.kovalent.com.br Page 1/14



PCR WS 4070XXX

FDS0232ENG-REV01 Revision date: 11/2023

Hazardous components:

Identifiers	Designation Classification	Content
CAS: 26628-22-8	Sodium azide	< 0.1 %
EC: 247-852-1	Acute Tox Oral CAT 4; H302	
Index Number:	Acute Aquatic Tox CAT 3; H412	
011-004-00-7	•	

Additional information: For the wording of the listed phrases refer to Section 16.

This reagent contains Sodium Azide as a preservative.

## 4 First aid measures

## 4.1 Description of first aid measures

General information: Remove contaminated clothing

After inhalation: Supply fresh air, consult doctor in case breathing problems develop. Unconscious: maintain

adequate airway and respiration.

After skin contact: Wash with soap and water. If symptoms persists, consult doctor.

After eye contact: Rinse opened eye for several minutes under running water. If symptoms persists, consult

doctor. Do not apply neutralizing agents.

After swallowing: Rinse out mouth and then drink plenty of water. In case of persistent symptoms, consult

doctor.

## 4.2 Most important symptoms and effects, both acute and delayed

After eye contact: May cause irritations.

#### 4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

## 5 Firefighting measures

## 5.1 Extinguishing media

Suitable extinguishing agents: Carbon dioxide (CO2), extinguishing powder or water spray/fog. Fight larger

fires with water spray/fog or alcohol-resistant foam.

For safety reasons unsuitable extinguishing agents: None

## 5.2 Special hazards arising from the substance or mixture

Special hazard caused by the material, its products of combustion or flue gases: Nitrogen oxides (Nox), Oxides of phosphorus (PxOy) Carbon monoxide (CO) and Carbon dioxide (CO2)

#### 5.3 Advice for firefighters

Protective equipment: Put on breathing apparatus. Gas-tight suit.

Additional information: Collect contaminated firefighting water separately. It must not enter drains.

## 6 Accidental release measures

#### 6.1 Personal precautions, protective equipment and emergency procedures

Person-related safety precautions: Wear protective clothing. Do not breathe vapors. Avoid skin and eye

contact. See Section 8.

#### 6.2 Environmental precautions

Measures for environmental protection: Do not allow to enter drainage system, surface or ground water. Discharge

according local regulations.

www.kovalent.com.br Page 2/14



PCR WS 4070XXX

FDS0232ENG-REV01 Revision date: 11/2023

#### 6.3 Methods and material for containment and cleaning up

Measures for cleaning/collecting: Absorb with liquid-binding material (sand, diatomite, acid binders, universal

binders, sawdust).

Dispose of contaminated material as waste according to item 13.

Clean contaminated surfaces with an excess of water.

Wash clothing and equipment after handling.

#### 6.4 Reference to other sections

Refer additionally to section 8 and 13.

## 7 Handling and storage

#### 7.1 Precautions for safe handling

Information for safe handling: Observe normal to strict hygiene standards.

Handle and open the container with care.

Ensure good ventilation / exhaustion at the workplace.

Do not inhale aerosols.

Avoid prolonged or repeated skin contact.

Avoid contact with eyes.

Make sure that all applicable workplace limits are observed.

Information about protection against explosions and fires: No special measures required.

## 7.2 Conditions for safe storage, including any incompatibilities

Requirements to be met by storerooms and containers: Observe all local and national regulations for storage of water polluting

products.

Information about storage in one common storage facility: Not required

Further information about storage conditions: Keep container tightly sealed.

Protect from heat and direct sunlight.

Store in a cool place.

Recommend storage temperature: 2 - 8 °C

# 7.3 Specific end use(s) No information available.

#### No information available.

# 8 Exposure controls/personal protection

#### 8.1 Control parameters

Additional information about design of technical

systems:

No data available; see item 7.

Components with critical values that require monitoring at the workplace:

Designation	Туре	Limit value
Sodium azide	WEL (Great Britain)	Short-term value: 0.3 mg/m <sup>3</sup> Long-term value: 0.1 mg/m <sup>3</sup>
	TLV (European Union)	Short-term value: 0.3 mg/m <sup>3</sup> Long-term value: 0.1 mg/m <sup>3</sup> Skin

Additional information: The list that were valid during the compilation were used as basis

8.2 Exposure controls

Provide protective equipment

General protective and hygienic measures: Keep away from foodstuffs, beverages and food.

Do not inhale gases / fumes / aerosols. Avoid close or long term contact with the skin.

Avoid contact with the eyes.

Wash hands during breaks and at the end of the work.

www.kovalent.com.br Page 3/14



PCR WS 4070XXX

FDS0232ENG-REV01 Revision date: 11/2023

Breathing equipment: If all workplace limits are observed and good ventilation is ensured, no special precautions

necessary.

Protection of hands: Protective gloves. The glove material has to be impermeable and resistant to the product / the

substance / the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and

the degradation.

Check the permeability prior to each new use of the glove.

To avoid skin problems, reduce the wearing of gloves to the required minimum. Due to missing tests no recommendation to the glove material can be given for the product / the preparation

/ the chemical mixture.

Material of gloves: The selection of the suitable gloves does not only depend on the material but also on further

marks of quality varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material cannot be calculated in advance and

has therefore to be checked prior to the application.

Penetration time of the glove: The exact breakthrough time has to be found out by the manufacturer of the protective gloves

and has to be observed.

## 9 Physical and chemical properties

## 9.1 Information on basic physical and chemical properties

#### **General information**

Appearance: Liquid

Colour: Clear

Odour: Odourless

Odour threshold: No data available

pH value: No data available

Change in condition

Melting point/ Melting range: No data available

Boiling point/ Boiling range: No data available

Evaporation rate: No data available

Flash point/flash point range: Not applicable

Self-inflammability: Product is not self-igniting.

Danger of explosion: Product is not explosive.

Density: No data available

Solubility in / Miscibility with water: Soluble

#### 9.2 Other information

No data available

# 10 Stability and reactivity

#### 10.1 Reactivity

Stable reactivity until expiry date if stored in recommended conditions.

#### 10.2 Chemical stability

www.kovalent.com.br Page 4/14



PCR WS 4070XXX

FDS0232ENG-REV01 Revision date: 11/2023

Stable until expiry date under recommended storage conditions.

#### 10.3 Possibility of hazardous reactions

No hazardous reactions known.

#### 10.4 Conditions to avoid

Thermal decomposition/conditions to be avoided:

Sunlight Heat

10.5 Incompatible materials

Materials to be avoided: Strong oxidizing agents

Strong acids Heavy metals

#### 10.6 Hazardous decomposition products

Dangerous reactions may form very sensitive explosive metallic compounds.

Dangerous products of decomposition: Nitrogen oxides (Nox), Oxides of phosphorus (PxOy) Carbon monoxide (CO) and

Carbon dioxide (CO2)

# 11 Toxicological information

Acute toxicity:

LD/LC50 values that are relevant for classification:

Sodium azide	Oral	LD50	27 mg/kg (rat)
	Dermal	LD50	20 mg/kg (rabbit)

Primary irritant effect on the skin: No irritant effect.

Primary irritant effect on the eye: No irritant effect.

Sensitization: No sensitizing effect known.

Additional toxicological information: The product is not object to classification according to the calculation method of the

General EC Classification Guidelines for Preparations as issued in the latest version. When used and handled according to specifications, the product does not have any harmful effects according to our experience and the information provided to us.

## 12 Ecological information

## 12.1 Toxicity

Ecotoxical effects

Aquatic toxicity: Sodium Azide LC50/96h 0.7 mg/L (bluegill (Lepomis macrochirus))

## 12.2 Persistence and degradability

No data available

## 12.3 Bioaccumulative potential

No data available

#### 12.4 Mobility in soil

No data available

## 12.5 Results of PBT and vPvB assessment

No data available

## 12.6 Other adverse effects

www.kovalent.com.br Page 5/14



PCR WS 4070XXX

FDS0232ENG-REV01 Revision date: 11/2023

Water hazard class 1 (self-assessment):

Slightly hazardous for water.

# 13 Disposal considerations

13.1 Waste treatment methods

Product: Dispose of waste according to applicable legislation.

Package: Dispose of waste according to applicable legislation.

Additional information: Do not reuse empty containers.

## 14 Transport information

14.1 UN number or ID number

ADR/RID, IMDG, IATA: Not applicable

14.2 UN proper shipping name

ADR/RID, IMDG, IATA: Not restricted

14.3 Transport hazard class(es)

ADR/RID, IMDG, IATA: Not applicable

14.4 Risk Number

\_

14.5 Packing group

ADR/RID, IMDG, IATA: Not applicable

14.5 Environmental hazards

Marine pollutant: No

#### 14.6 Special precautions for user

No dangerous goods in sense of these transport regulations.

## 15 Regulatory information

- Product produced in accordance with the requirements established by RDC 665 of 30/03/2022 and with labeling information in accordance with RDC 206 of 17/11/2006.
- For more details on product disposal refer to RDC 222 of 28/03/2018 and NBR 10004.
- This safety data sheet was prepared in accordance with ABNT/NBR 14725:23.

# 16 Other information

Wording of the H-phrases under paragraph 2 and 3:

Relevant R-phrases: The(se) R-phrase(s) are of the ingredient(s) and of do(es) NOT represent the classification

of the preparation.

28 = Very toxic if swallowed

32 = Contact with acids liberates very toxic gas

50/53 = Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment

Hazard statements:

H302 = Harmful if swallowed

H412 = Harmful to aquatic life with long lasting effects

Precautionary statements:

P301+312 = IF SWALLOWED, CALL A POISON CENTER/DOCTOR/...if you feel unwell

P330 = Rinse mouth

www.kovalent.com.br Page 6/14



PCR WS 4070XXX

FDS0232ENG-REV01 Revision date: 11/2023

P264 = Wash hands thoroughly after handling

P270 = Do not eat, drink or smoke when using this product

P273 = Avoid release to the environment

P501 = Dispose of content/container to ... in accordance with local/regional/national/international regulations

The above information is considered correct but is not intended to be complete and should be used only as a guide. Kovalent is not responsible for any damage resulting from handling or use.

In article XXX: The three X are for the volume.

#### Abbreviations and acronyms:

ABNT: Associação Brasileira de Normas Técnicas

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

CAS: Chemical Abstracts Service CE: Conformite Europeenne GHS: Globally Harmonized System

IATA: International Air Transport Association

IMDG Code: International Maritime Dangerous Goods Code

MS: Ministério da Saúde NBR: Norma Brasileira

PBT: Persistent, bioaccumulative and toxic RDC: Resolução da Diretoria Colegiada

RENACIAT: Rede Nacional de Centros de Informação e Assistência Toxicológica RID: Regulations Concerning the International Carriage of Dangerous Goods by Rail

vPvB: Very persistent and very bioaccumulative

www.kovalent.com.br Page 7/14



PCR WS 4070XXX

FDS0232ENG-REV01 Revision date: 11/2023

## 1 Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

Trade Name: PCR Reagent R2

Article n°: 4070XXX MS: 80115310212

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

In vitro diagnostics

#### 1.3 Details of the supplier of the safety data sheet

Kovalent do Brasil Ltda.

Rua Cristóvão Sardinha, 110 – Jd. Bom Retiro – São Gonçalo – RJ – Brasil.

Tel: +(55 21) 2623-1367

e-mail: kovalent@kovalent.com.br

#### 1.4 Emergency telephone number

Tel: +(55 21) 2623-1367 - Costumer service 8AM to 5PM.

0800 015 1414

#### In case of emergency

24 hours service

2

0800-722-6001 - RENACIAT (Rede Nacional de Centros de Informação e Assistência Toxicológica)

## Hazards Identification

#### 2.1 Classification of the substance or mixture

Classification according to ABNT NBR 14725.

No data available

For the full text of the H-Statements mentioned in the Section, see Section 16

Hazard designation: Not applicable

#### 2.2 Label elements

## Labelling (GHS)

Label: Not applicable

Signal word: Not applicable

Hazard statements: Not applicable

Precautionary statements: Not applicable

Information pertaining to particular dangers for

man and environment:

Not applicable

## 2.3 Other hazards

Hazardous properties cannot be excluded.

Sodium azide can form explosive azides when containing heavy metals such as copper or lead.

# 3 Composition/information on ingredients

## 3.1 Substances

Not applicable

#### 3.2 Mixtures

Chemical characterization: Mixture

Description: Mixture of the substances listed below with harmless products.

www.kovalent.com.br Page 8/14



PCR WS 4070XXX

FDS0232ENG-REV01 Revision date: 11/2023

Hazardous components:

Identifiers	Designation Classification	Content
CAS: 26628-22-8	Sodium azide	< 0.1 %
EC: 247-852-1	Acute Tox Oral CAT 4; H302	
Index Number:	Acute Aquatic Tox CAT 3; H412	
011-004-00-7	•	

Additional information: For the wording of the listed phrases refer to Section 16.

This reagent contains Sodium Azide as a preservative.

## 4 First aid measures

## 4.1 Description of first aid measures

General information: Remove contaminated clothing

After inhalation: Supply fresh air, consult doctor in case breathing problems develop. Unconscious: maintain

adequate airway and respiration.

After skin contact: Wash with soap and water. If symptoms persists, consult doctor.

After eye contact: Rinse opened eye for several minutes under running water. If symptoms persists, consult

doctor. Do not apply neutralizing agents.

After swallowing: Rinse out mouth and then drink plenty of water. In case of persistent symptoms, consult

doctor.

## 4.2 Most important symptoms and effects, both acute and delayed

After eye contact: May cause irritations.

#### 4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

## 5 Firefighting measures

## 5.1 Extinguishing media

Suitable extinguishing agents: Carbon dioxide (CO2), extinguishing powder or water spray/fog. Fight larger

fires with water spray/fog or alcohol-resistant foam.

For safety reasons unsuitable extinguishing agents: None

## 5.2 Special hazards arising from the substance or mixture

Special hazard caused by the material, its products of combustion or flue gases: Nitrogen oxides (Nox), Oxides of phosphorus (PxOy) Carbon monoxide (CO) and Carbon dioxide (CO2)

#### 5.3 Advice for firefighters

Protective equipment: Put on breathing apparatus. Gas-tight suit.

Additional information: Collect contaminated firefighting water separately. It must not enter drains.

## 6 Accidental release measures

#### 6.1 Personal precautions, protective equipment and emergency procedures

Person-related safety precautions: Wear protective clothing. Do not breathe vapors. Avoid skin and eye

contact. See Section 8.

6.2 Environmental precautions

Measures for environmental protection: Do not allow to enter drainage system, surface or ground water. Discharge

according local regulations.

www.kovalent.com.br Page 9/14



PCR WS 4070XXX

FDS0232ENG-REV01 Revision date: 11/2023

#### 6.3 Methods and material for containment and cleaning up

Measures for cleaning/collecting: Absorb with liquid-binding material (sand, diatomite, acid binders, universal

binders, sawdust).

Dispose of contaminated material as waste according to item 13.

Clean contaminated surfaces with an excess of water.

Wash clothing and equipment after handling.

#### 6.4 Reference to other sections

Refer additionally to section 8 and 13.

## 7 Handling and storage

#### 7.1 Precautions for safe handling

Information for safe handling: Observe normal to strict hygiene standards.

Handle and open the container with care.

Ensure good ventilation / exhaustion at the workplace.

Do not inhale aerosols.

Avoid prolonged or repeated skin contact.

Avoid contact with eyes.

Make sure that all applicable workplace limits are observed.

Information about protection against explosions and fires: No special measures required.

## 7.2 Conditions for safe storage, including any incompatibilities

Requirements to be met by storerooms and containers: Observe all local and national regulations for storage of water polluting

products.

Information about storage in one common storage facility: Not required

Further information about storage conditions: Keep container tightly sealed.

Protect from heat and direct sunlight.

Store in a cool place.

Recommend storage temperature: 2 - 8 °C

# 7.3 Specific end use(s) No information available.

## 8 Exposure controls/personal protection

#### 8.1 Control parameters

Additional information about design of technical

systems:

No data available; see item 7.

Components with critical values that require monitoring at the workplace:

Designation	Туре	Limit value
Sodium azide	WEL (Great Britain)	Short-term value: 0.3 mg/m <sup>3</sup>
		Long-term value: 0.1 mg/m <sup>3</sup>
	TLV (European Union)	Short-term value: 0.3 mg/m <sup>3</sup> Long-term value: 0.1 mg/m <sup>3</sup>
		Skin

Additional information: The list that were valid during the compilation were used as basis

8.2 Exposure controls

Provide protective equipment

General protective and hygienic measures: Keep away from foodstuffs, beverages and food.

Do not inhale gases / fumes / aerosols. Avoid close or long term contact with the skin.

Avoid contact with the eyes.

Wash hands during breaks and at the end of the work.

www.kovalent.com.br Page 10/14



PCR WS 4070XXX

FDS0232ENG-REV01 Revision date: 11/2023

Breathing equipment: If all workplace limits are observed and good ventilation is ensured, no special precautions

necessary.

Protection of hands: Protective gloves. The glove material has to be impermeable and resistant to the product / the

substance / the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and

the degradation.

Check the permeability prior to each new use of the glove.

To avoid skin problems, reduce the wearing of gloves to the required minimum. Due to missing tests no recommendation to the glove material can be given for the product / the preparation

/ the chemical mixture.

Material of gloves: The selection of the suitable gloves does not only depend on the material but also on further

marks of quality varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material cannot be calculated in advance and

has therefore to be checked prior to the application.

Penetration time of the glove: The exact breakthrough time has to be found out by the manufacturer of the protective gloves

and has to be observed.

## 9 Physical and chemical properties

## 9.1 Information on basic physical and chemical properties

#### **General information**

Appearance: Liquid

Colour: Clear

Odour: Odourless

Odour threshold: No data available

pH value: No data available

Change in condition

Melting point/ Melting range: No data available

Boiling point/ Boiling range: No data available

Evaporation rate: No data available

Flash point/flash point range: Not applicable

Self-inflammability: Product is not self-igniting.

Danger of explosion: Product is not explosive.

Density: No data available

Solubility in / Miscibility with water: Soluble

#### 9.2 Other information

No data available

## 10 Stability and reactivity

#### 10.1 Reactivity

Stable reactivity until expiry date if stored in recommended conditions.

#### 10.2 Chemical stability

www.kovalent.com.br Page 11/14



PCR WS 4070XXX

FDS0232ENG-REV01 Revision date: 11/2023

Stable until expiry date under recommended storage conditions.

#### 10.3 Possibility of hazardous reactions

No hazardous reactions known.

#### 10.4 Conditions to avoid

Thermal decomposition/conditions to be avoided:

Sunlight Heat

10.5 Incompatible materials

Materials to be avoided: Strong oxidizing agents

Strong acids Heavy metals

#### 10.6 Hazardous decomposition products

Dangerous reactions may form very sensitive explosive metallic compounds.

Dangerous products of decomposition: Nitrogen oxides (Nox), Oxides of phosphorus (PxOy) Carbon monoxide (CO) and

Carbon dioxide (CO2)

# 11 Toxicological information

Acute toxicity:

LD/LC50 values that are relevant for classification:

Sodium azide	Oral	LD50	27 mg/kg (rat)
	Dermal	LD50	20 mg/kg (rabbit)

Primary irritant effect on the skin: No irritant effect.

Primary irritant effect on the eye: No irritant effect.

Sensitization: No sensitizing effect known.

Additional toxicological information: The product is not object to classification according to the calculation method of the

General EC Classification Guidelines for Preparations as issued in the latest version. When used and handled according to specifications, the product does not have any harmful effects according to our experience and the information provided to us.

## 12 Ecological information

## 12.1 Toxicity

Ecotoxical effects

Aquatic toxicity: Sodium Azide LC50/96h 0.7 mg/L (bluegill (Lepomis macrochirus))

## 12.2 Persistence and degradability

No data available

## 12.3 Bioaccumulative potential

No data available

#### 12.4 Mobility in soil

No data available

#### 12.5 Results of PBT and vPvB assessment

No data available

## 12.6 Other adverse effects

www.kovalent.com.br Page 12/14



PCR WS 4070XXX

FDS0232ENG-REV01 Revision date: 11/2023

Water hazard class 1 (self-assessment):

Slightly hazardous for water.

# 13 Disposal considerations

13.1 Waste treatment methods

Product: Dispose of waste according to applicable legislation.

Package: Dispose of waste according to applicable legislation.

Additional information: Do not reuse empty containers.

## 14 Transport information

14.1 UN number or ID number

ADR/RID, IMDG, IATA: Not applicable

14.2 UN proper shipping name

ADR/RID, IMDG, IATA: Not restricted

14.3 Transport hazard class(es)

ADR/RID, IMDG, IATA: Not applicable

14.4 Risk Number

\_

14.5 Packing group

ADR/RID, IMDG, IATA: Not applicable

14.5 Environmental hazards

Marine pollutant: No

#### 14.6 Special precautions for user

No dangerous goods in sense of these transport regulations.

## 15 Regulatory information

- Product produced in accordance with the requirements established by RDC 665 of 30/03/2022 and with labeling information in accordance with RDC 206 of 17/11/2006.
- For more details on product disposal refer to RDC 222 of 28/03/2018 and NBR 10004.
- This safety data sheet was prepared in accordance with ABNT/NBR 14725:23.

# 16 Other information

Wording of the H-phrases under paragraph 2 and 3:

Relevant R-phrases: The(se) R-phrase(s) are of the ingredient(s) and of do(es) NOT represent the classification

of the preparation.

28 = Very toxic if swallowed

32 = Contact with acids liberates very toxic gas

50/53 = Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment

Hazard statements:

H302 = Harmful if swallowed

H412 = Harmful to aquatic life with long lasting effects

Precautionary statements:

P301+312 = IF SWALLOWED, CALL A POISON CENTER/DOCTOR/...if you feel unwell

P330 = Rinse mouth

www.kovalent.com.br Page 13/14



PCR WS 4070XXX

FDS0232ENG-REV01 Revision date: 11/2023

P264 = Wash hands thoroughly after handling

P270 = Do not eat, drink or smoke when using this product

P273 = Avoid release to the environment

P501 = Dispose of content/container to ... in accordance with local/regional/national/international regulations

The above information is considered correct but is not intended to be complete and should be used only as a guide. Kovalent is not responsible for any damage resulting from handling or use.

In article XXX: The three X are for the volume.

#### Abbreviations and acronyms:

ABNT: Associação Brasileira de Normas Técnicas

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

CAS: Chemical Abstracts Service CE: Conformite Europeenne GHS: Globally Harmonized System

IATA: International Air Transport Association

IMDG Code: International Maritime Dangerous Goods Code

MS: Ministério da Saúde NBR: Norma Brasileira

PBT: Persistent, bioaccumulative and toxic RDC: Resolução da Diretoria Colegiada

RENACIAT: Rede Nacional de Centros de Informação e Assistência Toxicológica RID: Regulations Concerning the International Carriage of Dangerous Goods by Rail

vPvB: Very persistent and very bioaccumulative

www.kovalent.com.br Page 14/14